

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("4743837").PN.	USPAT; USOCR	OR	OFF	2008/03/13 17:30
S2	1	("5973417").PN.	USPAT; USOCR	OR	OFF	2008/03/14 06:39
S3	1	("4345167").PN.	USPAT; USOCR	OR	OFF	2008/03/14 07:21
S4	4	(capacit\$5 near2 sens\$3) same (ac near2 reference near2 source)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/08/01 13:59
S5	3	(capacit\$5 near2 sens\$3) same (ac near2 reference near2 voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/08/01 14:01
S6	30	(capacit\$5 near2 sens\$3) same (ac near2 source with charg\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/08/01 14:01
S7	23	("4004234" "4081700").PN. OR ("4345167"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/04 13:44
S8	5	(proximity near2 switch near3 capacit\$4) same AC near2 source	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 14:09
S9	14	(proximity near3 capacit\$4) same AC near2 source	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 14:44
S10	0	(proximity near2 switch and sensor and controllable and AC and voltage near2 source).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:11

S11	2	(proximity near2 switch and sensor and controllable and AC).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S12	1	(proximity near2 switch and sensor and controllable near2 second). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S13	0	(proximity near2 switch and sensor and pmos and nmos).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S14	0	(proximity near2 switch and sensor and pmos).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S15	0	(proximity near2 switch and sensor and nmos).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S16	3	(proximity near2 switch and sensor and mosfet).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:13
S17	130	327/399.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:15
S18	0	S17 and capacit\$4 near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:17
S19	90	S17 and capacit\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:17
S20	262	"327"/\$.ccls. and capacit\$4 near2 sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:17
S21	44	"327"/\$.ccls. and capacit\$4 near2 sensor with switch	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:18

S22	6	"327"/\$.ccls. and capacit\$4 near2 sensor with (proximity near2 switch)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:18
S23	226	327/517.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:19
S24	356	S23 S17	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:43
S25	30	S24 and (trigger \$4 near2 signal)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:43
S26	0	(proximity near2 switch and trigger \$3 near2 signal and controllable near2 mean).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:48
S27	45	(proximity near2 switch and trigger \$3 near2 signal). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:48
S28	11	(proximity near2 switch and trigger \$3 near2 signal and capacit\$4). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2008/11/04 15:48

11/ 4/ 2008 5:35:19 PM

C:\Documents and Settings\jzhu1\My Documents\EAST\Workspaces
\10543115WB.CapSensor.wsp